

Work Order ID 64180

Monday, November 29, 2010 10:27:53 AM

Page 1

Item ID: DSI 9052-013

Accept

Setup Start

Revision ID:

Stop

Item Name: Pod Quick Release

Start Date: 11/29/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 11/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Approvals:

Process Plan: *MF*

Date: *10-11-11*

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI 9052

Rev D

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile & type labels per PPP 9052-013 CHG001

S. 10/11/11

OK for BGR 10/11/30

110

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

11/14/11

120

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

S. 10/11/11

(Signature)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 64180

Monday, November 29, 2010 10:27:53 AM

Page 2

Item ID: DSI 9052-013

Accept

Setup Start

Revision ID:

Stop

Item Name: Pod Quick Release

Start Date: 11/29/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 11/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

0.00



Packaging

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D9052-013 Location: _____

MEL A

10-11-29

140

0.00



QC

QC21- Final Inspection - Work Order Release

Memo

0.00

Quality Control

10-11-29

MF
10-11-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, November 29, 2010 10:27:53 AM

Page 1

Work Order ID: 64180

Parent Item: DSI 9052-013

Parent Item Name: Pod Quick Release

Start Date: 11/29/2010


Required Date: 11/29/2010

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A ☐ 02.05.15 ☐ New Issue ☐ NG


Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

BLRS-010 8  Pip Pin		Purchased	No			120	Each	16.0000	1	1			
---	--	-----------	----	--	--	-----	------	---------	---	---	--	--	--

Location	Loc Qty	Loc Code
----------	---------	----------

ST283	16	
115579	6	
115975	10	

M115579

BLRS-020 8  Pip Pin		Purchased	No			120	Each	12.0000	3	3			
---	--	-----------	----	--	--	-----	------	---------	---	---	--	--	--

Location	Loc Qty	Loc Code
----------	---------	----------

ST283	12	
115579	2	
115975	10	

115579 2x
115975 1x

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 64180

Monday, November 29, 2010 10:27:53 AM

Page 1

Item ID: DSI 9052-013

Accept

Setup Start

Revision ID:

Stop

Item Name: Pod Quick Release

Start Date: 11/29/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 11/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI 9052

Rev D

100

0.00



DC

DOCUMENT CONTROL

Memo

0.00

Document Control

Photocopy bluefile & type labels per PPP 9052-013 CHG001

110

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

120

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

today

PC/10-11-30

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

REFERENCE ONLY.

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-607 REV. F OR LATER REV.
(REF. CANADIAN STC: SH94-14, REF. FAA STC: SR00213NY)
AND TO AMEND INSTALLATION DRAWING D350-602 REV. E OR LATER REV.
(REF. CANADIAN STC: SH93-97, REF. FAA STC: SR01144NY)

PURPOSE: TO ALLOW SUBSTITUTION OF THE BASKET/ POD ATTACHMENT BOLTS WITH QUICK RELEASE PINS

THE AN4-12A / AN4-15A / AN4-16A BOLTS USED ON D2230-1 CLAMPS MAY BE REPLACED WITH STAINLESS STEEL POSITIVE LOCKING QUICK RELEASE PINS WITH A MINIMUM DOUBLE SHEAR STRENGTH OF 2400 LBS AND 0.25 INCH DIAMETER.

BOLT	MIN GRIP	POSSIBLE QUICK RELEASE PIN REPLACEMENT
AN4-12A	1.0"	AVIBANK: BLC4B10S, BLC4TA10S, BLC4R10S, BLC4LA10S MS NUMBER: MS17984C410, MS17985C410, MS17986C410, MS17987C410 REID: BLRS-010, BLBS-010
AN4-15A / AN4-16A	1.3"	AVIBANK: BLC4B13S, BLC4TA13S, BLC4R13S, BLC4LA13S MS NUMBER: MS17984C413, MS17985C413, MS17986C413, MS17987C413 REID: BLRS-020, BLBS-020

THE FOLLOWING OPTIONAL KITS ARE AVAILABLE FROM DART TO PROVIDE QUICK RELEASE CAPABILITY. DART HELI-UTILITY-BASKETS™ D350-607-041 @ CHG 008, D350-607-043 @ CHG 005, D350-607-045 @ CHG 003, D350-607-047 @ CHG 003, OR LATER CHANGE NUMBERS, OR KITS MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-15A BOLTS AND SHOULD PURCHASE THE DSI-9052-013 KIT. EARLIER CHANGE NUMBERS THAT HAVE NOT BEEN MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-12A BOLTS AND SHOULD PURCHASE THE DSI-9052-011 KIT.

QTY -011	QTY -013	PART NUMBER	DESCRIPTION
X		DSI-9052-011	QUICK RELEASE KIT, FOR D350-607-041 (CHG ≤007) / -043 (CHG ≤004) / -045 (CHG ≤002) / -047 (CHG ≤002)
	X	DSI-9052-013	QUICK RELEASE KIT, FOR D350-602-011/-013/-014 & D350-607-041 (CHG 008) / -043 (CHG 005) / -045 (CHG 003) / -047 (CHG 003)
4	1	BLRS-010	QUICK RELEASE PIN (1.0" GRIP)
	3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

IT IS ACCEPTABLE TO LEAVE THE D2230-1/-3 CLAMPS INSTALLED ON THE CROSSTUBES WHEN THE BASKET OR POD IS REMOVED. WEIGHT & BALANCE, FOR CLAMPS ONLY, IS 1.8lb (0.82kg) @ STA 135in (3.43m) & BL ±36in (±0.91m).

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: [Signature]
D. SHEPHERD (DE # 02)

DATE: 09.06.23
CERT. NO.: SH94-14 / SH93-97
ISSUE NO.: 4 / 4

E	-013 KIT NOW APPLICABLE TO NEW D350-607 KITS	CP	09.06.23
D	ADD CLAMPS ONLY NOTE	KJ	04.03.23
C	ADD DSI 9052-013	CP	03.12.11
B	ADD PART NUMBERS	BW	96.11.13
A	NEW ISSUE	MM	96.11.04
REV.	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE LTD	
DRAWN	<u>[Signature]</u>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<u>[Signature]</u>	DRAWING NO.	REV. E
MFG. APPR.	<u>N/A</u>	DSI 9052	SHEET 1 OF 1
APPROVED	<u>[Signature]</u>	TITLE	SCALE
DE APPR.	<u>[Signature]</u>	QUICK PIN REPLACEMENT	NTS
DATE	09.06.23	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	